Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1082	370/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:24
S2	5	("6141014" "6141710" "5959572" "6182171" "20010042137").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/02 08:13
S3	3137	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 12:35
S4	522	370/402.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:24
S5	261	370/403.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 09:03
S6	180	370/404.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:45
S7	93	340/3.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:45
S8	429	340/5.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:27
S9	44	gateway$2 same enabl$4 same ((packets or data$2 or frame$2) same ((ID or code$2) same (period$2 or duration$2 or length$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:50
S10	42	(path$2 with enabl$4) same ((ID or code$2) with (detect$4 or verification$2)) same (period$2 or duration$2 or length$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:02

S11	120	((path$2 or connection$2) with enabl$4) same ((ID or code$2 or address$2) with (match$3 or detect$4 or verification$2)) same (period$2 or duration$2 or length$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:09
S12	26	((path$2 or connection$2) with enabl$4) same ((ID or code$2 or address$2) with (match$3 or detect$4 or verification$2)) same (period$2 or duration$2 or length$2) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:04
S13	367	((path$2 or rout$3) with (enabl$4 or connect$4)) same ((ID or code$2 or address$2) with (match$3 or detect$4 or verification$2)) same (period or duration or length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:11
S14	86	((path$2 or rout$3) with (enabl$4 or connect$4)) same ((ID or code$2 or address$2) with (match$3 or detect$4 or verification$2)) same (period or duration or length) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:27
S15	21	((path$2 or rout$3) with (enabl$4 or connect$4)) same ((ID or code$2 or address$2) with (match$3 or detect$4 or verification$2)) same (period or duration or length) and "340".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:28
S16	40	((path$2 or rout$3) with (enabl$4 or connect$4)) same ((ID or code$2 or address$2) with (match$3 or verif$5)) same (period or duration) and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:31
S17	61	((path$2 or rout$3) with (enabl$4 or connect$4)) same ((ID or code$2 or address$2) with (match$3 or verif$5)) same (period or duration) and network$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:37
S18	38	((path$2 or rout$3) with (enabl$4 or connect$4)) same ((ID or code$2 or address$2) with (match$3 or verif$5)) same (period or duration) same network$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:40

S19	28	((path$2 or rout$3) with (enabl$4 or connect$4)) same ((ID or code$2 or address$2) with (match$3 or verif$5)) same (period or duration) and (predetermined adj2 (period$2 or duration$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:41
S20	35226	(packets or data$2 or frame$2) with ((ID or code$2 or address$2)) and (predetermined adj2 (period$2 or duration$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:41
S21	166	370/401-404.ccls. and (((packets or data$2 or frame$2)) same (predetermined adj2 period$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:30
S22	170	370/401-404.ccls. and (((packets or data$2 or frame$2)) same (predetermined adj2 (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:31
S23	45	370/401-404.ccls. and (((packets or data$2 or frame$2)) same ((predetermined adj2 (period$2 or duration$2)) with transmi$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:31
S24	4202	(packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined adj2 (period$2 or duration$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:14
S25	15	370/401-404.ccls. and (packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined adj2 (period$2 or duration$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:43
S26	229	(packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined adj2 (period$2 or duration$2)) same network$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:45
S27	119	packets same (ID or (identification adj code$2)) same transmiT$3 same receiv$3 same period$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:45
S28	366	((packets or data$2 or frame$2) near2 (ID or (identification))) same (predetermined adj2 period$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 07:46

S29	32	(packets or data$2) with ((ID or code$2) with (detect$4)) same (predetermined adj2 period$2) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 08:00
S30	112355	(packets or data$2 or frame$2) same ((ID or code$2 or address$2) with (detect$4 or match$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 08:01
S31	815	370/401-404.ccls. and (packets or data$2 or frame$2) same ((ID or code$2 or address$2) with (detect$4 or match$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 08:01
S32	380	370/401-404.ccls. and (packets or data$2 or frame$2) same ((ID or code$2 or address$2) with (detect$4 or match$3)) same network$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 08:01
S33	2	("6182171" "20010042137") .pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/18 08:52
S34	473	(packets or data$2 or frame$2 or token$2) same (field$2 with ((ID or code$2 or address$2) and length) with (detect$4 or verification$2 or match$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/18 12:51
S35	104	(packets or data$2 or frame$2 or token$2) same (field$2 with ((ID or code$2 or address$2) and length) with (detect$4 or verification$2 or match$3)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/18 08:52
S36	7580	(packets or frame$2) same ((transmi$6) near2 (period$2 or duration$2 or length$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:58
S37	5112	(packets or frame$2) with ((transmi$6) near2 (period$2 or duration$2 or length$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:59
S38	81	370/401-404.ccls. and ((packets or frame$2) with ((transmi$6) near2 (period$2 or duration$2 or length$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:00

S39	10	370/401-404.ccls. and ((packets or frame$2) with ((transmi$6) near2 (period$2 or duration$2 or length$2) with predetermined))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:08
S40	8	370/401-404.ccls. and ((packets or frame$2) with ((transmi$6) near2 (period$2 or duration$2 or length$2) near3 predetermined))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:08
S41	284	((packets or frame$2) with ((transmi$6) near2 (period$2 or duration$2 or length$2) near3 predetermined))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:55
S42	8	370/401-404.ccls. and ((packets or frame$2) with ((transmi$6) near2 (period$2 or duration$2 or length$2) near3 predetermined))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:55
S43	103	(gateway$2 or bridge$2 or router$2) same enabl$4 same ((packets or data$2 or frame$2) same ((ID or code$2) same (period$2 or duration$2 or length$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:59
S44	2120	(gateway$2 or bridge$2 or router$2) same ((packets or data$2 or frame$2 or token$2) same ((ID or code$2 or address$2) with (detect$4 or verification$2 or match$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:59
S45	839	(gateway$2 or bridge$2 or router$2) same ((packets or data$2 or frame$2 or token$2) same ((ID or code$2 or address$2) with (detect$4 or verification$2 or match$3))) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:01
S46	74724	(packets or data$2 or frame$2) same ((ID or code$2 or address$2) with (compar$5 or match$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/18 13:00
S47	740	(gateway$2 or bridge$2 or router$2) same ((packets or data$2 or frame$2) same ((ID or code$2 or address$2) with (compar$5 or match$3))) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:02

S48	300	(gateway$2 or bridge$2 or router$2) same ((packets or data$2 or frame$2) same ((ID or code$2 or address$2) with (compar$5 or match$3))) and 370/401-404.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:02
S49	202	(gateway$2 or router$2) same ((packets or data$2 or frame$2) same ((ID or code$2 or address$2) with (compar$5 or match$3))) and 370/401-404. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:02
S50	81	(gateway$2) same ((packets or data$2 or frame$2) same ((ID or code$2 or address$2) with (compar$5 or match$3))) and 370/401-404.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:25
S51	355	(gateway$2) same ((table$2 or database$2) same ((ID or code$2 or address$2) with (compar$5 or match$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:26
S52	62	(gateway$2) same ((table$2 or database$2) same ((ID or code$2 or address$2) with (compar$5 or match$3))) and 370/401-404. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:26
S53	51	(gateway$2) same ((table$2 or database$2) same ((length$2 or address$2) with (filed or head$3))) and 370/401-404.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:27
S56	7	(gateway$2) same ((storage$2 or database$2) same ((length$2) with (filed or head$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:34
S59	8	(router$2) same ((storage$2 or database$2) same ((length$2 and address$2) with (filed or head$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:39
S60	9	(gateway$2 bridge$2 router$2) same ((table$2 or database$2) same ((length$2 and address$2) with (filed or head$3))) and 370/401-404.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:40
S10 8	41	wong-richard-$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 12:37

S10 9	0	wong-richard-$.in. and communication same data same period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:38
S11 1	0	ota-katsumi-$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 12:38
S11 2	0	aktsuka-takeshi-$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 12:38
S11 3	1	(communication same data same (predetermined with period) same (ID adj code)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:40
S11 4	626	((packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) same (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 07:33
S11 6	15	370/401.ccls. and ((packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 15:18
S11 7	586	"340".clas. and ((packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:45
S11 8	477	"455".clas. and ((packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:46
S11 9	141	"455".clas. and ((packets or data$2 or frame$2) with ((ID or (identification with code$2)) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:48
S12 1	129	"455".clas. and ((packets or data$2 or frame$2) with ((ID or (identification adj code$2)) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 15:16

C:\Documents and Settings\RChang1\My Documents\000_tmp1\dockets\docket_0022\09834644-amended\09834644c.wsp

S12 2	176	"340".clas. and ((packets or data$2 or frame$2) with ((ID or (identification adj code$2)) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:48
S12 4	24	370/458.ccls. and ((packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 15:18
S12 6	27	370/445-447.ccls. and ((packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 06:06
S12 7	24	370/461-462.ccls. and ((packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 09:02
S12 8	2	"20010042137".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 09:02
S12 9	109	"340".clas. and ((packets or data$2 or frame$2) with ((ID or (identification with code$2)) with (detected matched verified)) and ((predetermined predefined)with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:10
S13 0	18	"340".clas. and ((packets or data$2 or frame$2) with ((ID or (identification with code$2)) with (detected matched verified)) same ((predetermined predefined)with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:17
S13 1	11	((packets or data$2 or frame$2) with ((ID or (identification with code$2)) with (detected matched verified)) same ((predetermined predefined) with frame with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:17
S13 2	197	"340".clas. and ((packets or data$2 or frame$2) with ((ID or (identification with code$2)) with (detect$4)) and (predetermined with (period$2 or duration$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 07:10

| S13 3 | 76 | ((packets or data$2 or frame$2) with ((ID or code$2) with (detect$4)) same (predetermined with (period$2 or duration$2))) same (gateway bridge switch) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/28 07:35 |